TEAC®

Product Range

Autumn 2010

The Goal: Ultimate Performance

When you first listen to TEAC's top-of-the-range Stereo-Receiver, chances are you'll experience the same result as the musicians did during the recording session. This result is achievable by applying the engineering knowledge which draws on TEAC's extensive experience and superior technology development over the years.

AG-H600NT AM/FM/Internet-Radio Stereo Receiver with Interface for iPod Docking Station
AG-H600DNT DAB/AM/FM/Internet-Radio Stereo Receiver with Interface for iPod Docking Station*

Function:	CD, Phono, Tuner, Internet-Radio, AUX, iPod
Output Power:	75W + 75W (8 ohms, 1kHz, 0.5% THD)
	90W + 90W (4 ohms, 1kHz)
Total Harmonic Distortion:	0.05% (8 ohms, 1kHz, 40W)
Signal-to-Noise Ratio:	110dB (Tone-Direct, IHF-A/Input short)
	100dB (CD, AUX, IHF-A/Input short)
Frequency Response:	10-65kHz (–3dB)
Tuner:	Internet-Radio, AM, FM with RDS (AG-H600NT)
	Internet-Radio, DAB/DAB+, AM, FM with RDS (AG-H600DNT)*
Audio Input:	3 (CD, Phono, AUX)
Audio Output:	1 (Line)
Ethernet:	10Base-T, IEEE802.11b/g
Dimensions, Weight:	290 (W) x 102 (H) x 338 (D) mm, 6.8kg
Option:	iPod Docking Station (DS-22)

* Available on request

Made for iPod

PD-H600 CD Player

Supported Disc:	CD-DA, CD-R/RW, MP3, WMA
Total Harmonic Distortion:	Less than 0.003% (1kHz, at 20kHz LPF)
Signal-to-Noise Ratio:	More than 110dB (1kHz, 0dB, A weight, at 20kHz LPF)
Frequency Response:	20-20kHz
Audio Output:	2 (Coaxial, Line)
Dimensions, Weight:	290 (W) x 102 (H) x 308 (D) mm, 5.4kg

DS-22 iPod Docking Station (option for AG-H600NT/DNT, A-H380, CR-H238i/258i, SL-D950)

Audio Output:	Line
Video Output:	S-Video, Composite
Dimensions, Weight:	100 (W) x 39 (H) x 100 (D) mm, 0.4kg

Logical Evolution

Since the introduction of the original TEAC Reference 500 series in the mid-1990s, TEAC's development of this mini component range has continued to evolve towards expanding musical experiences in the era of digital sound reproduction.
Keeping the original concept of a mini hi-fi system with highest quality workmanship and style in mind, every single part of the brand new Reference 500 series has been reviewed and refined to achieve the highest peak of sound quality in its class.

CR-H500NT AM/FM/Internet-Radio Stereo CD Receiver with USB/Interface for iPod
CR-H500DNT DAB/AM/FM/Internet-Radio Stereo CD Receiver with USB/Interface for iPod*

Function:	Phono, CD, Tuner, Internet-Radio, AUX1, AUX2, USB/iPod
Output Power:	40W + 40W (6 ohms, 1kHz, 0.5% THD)
Frequency Response:	20-60kHz (+1/–3dB)
Supported Disc:	CD-DA, CD-R/RW, MP3, WMA
USB:	MP3 Encoding/Decoding, WMA Decoding, iPod Digital Input
Tuner:	Internet-Radio, AM, FM with RDS (CR-H500NT)
	Internet-Radio, DAB, AM, FM, with RDS (CR-H500DNT*)
Audio Input:	3 (Phono, AUX1, AUX2)
Audio Output:	2 (Line, Subwoofer)
Ethernet:	10Base-T, IEEE802.11b/g
Dimensions, Weight:	290 (W) x 113 (H) x 338 (D) mm, 5.6kg

* Available on request

Made for iPod

CR-H500 AM/FM Stereo CD Receiver with USB/Interface for iPod

Function:	Phono, CD, Tuner, AUX1, AUX2, USB/iPod
Output Power:	40W + 40W (6 ohms, 1kHz, 0.5% THD)
Frequency Response:	20-60kHz (+1/–3dB)
Supported Disc:	CD-DA, CD-R/RW, MP3, WMA
USB:	MP3 Encoding/Decoding, WMA Decoding, iPod Digital Input
Tuner:	AM, FM with RDS
Audio Input:	3 (Phono, AUX1, AUX2)
Audio Output:	2 (Line, Subwoofer)
Dimensions, Weight:	290 (W) x 113 (H) x 338 (D) mm, 5.6kg

Made for iPod

A Well-Balanced Unit

This compact and high performance stereo receiver can make your music life more attractive. A USB interface (also for iPod connection) allows compatible sources to provide a variety of digital audio signals to the system.

AG-H380 AM/FM Stereo Receiver with USB/Interface for iPod
AG-H380DAB DAB/AM/FM Stereo Receiver with USB/Interface for iPod*

Function:	CD, Phono, Tuner, AUX1, AUX2, USB/iPod
Output Power:	40W + 40W (6 ohms, 1kHz, 0.5% THD)
USB:	MP3 Encoding/Decoding, WMA Decoding, iPod Digital Input
Tuner:	AM, FM with RDS (AG-H380)
	DAB, AM, FM with RDS (AG-H380DAB*)
Audio Input:	4 (CD, Phono, AUX1, AUX2)
Audio Output:	2 (Line, Subwoofer)
Dimensions, Weight:	215 (W) x 110 (H) x 315 (D) mm, 4.4kg

Made for iPod

PD-H380 CD Player with USB

Supported Disc:	CD-DA, CD-R/RW, MP3, WMA
USB:	MP3/WMA Decoding
Audio Output:	2 (Optical, Line)
Dimensions, Weight:	215 (W) x 93 (H) x 275 (D) mm, 2.8kg

A-H380 Stereo Amplifier with Interface for iPod Docking Station

Audio Input:	CD, Phono, Tuner, AUX1, AUX2, iPod
Output Power:	45W + 45W (6 ohms, 1kHz, 0.1% THD)
Audio Input:	5 (CD, Phono, Tuner, AUX1, AUX2)
Audio Output:	2 (Line1, Line2)
Dimensions, Weight:	215 (W) x 110 (H) x 312 (D) mm, 5.0kg
Option:	iPod Docking Station (DS-22)

Made for iPod

T-H380NT AM/FM/Internet-Radio Tuner
T-H380DNT DAB/AM/FM/Internet-Radio Tuner*

Tuner:	Internet-Radio, AM, FM with RDS (T-H380NT)
	Internet-Radio, DAB, AM, FM with RDS (T-H380DNT*)
Audio Output:	1 (Line)
Ethernet:	10Base-T, IEEE802.11b/g
Dimensions, Weight:	215 (W) x 93 (H) x 305 (D) mm, 2.6kg

* Available on request.

The Perfect Match

This latest CD Micro unit from TEAC allows you to playback almost any type of music media you might have, CD, CD-R/RW, MP3 disc, SD card or USB Memory with MP3 files and iPod via the optional docking station.

CR-H238i AM/FM CD Receiver with USB/SD/Interface for iPod Docking Station
CR-H258i DAB/AM/FM CD Receiver with USB/SD/Interface for iPod Docking Station*

Audio Input:	CD, Tuner, AUX1, AUX2, USB, SD, iPod
Output Power:	25W + 25W (6 ohms, 1kHz, 0.5% THD)
Supported Disc:	CD-DA, CD-R/RW, MP3, WMA
USB/SD:	MP3/WMA Decoding
Tuner:	AM, FM with RDS (CR-H238i)
	DAB, AM, FM with RDS (CR-H258i*)
Audio Input:	2 (AUX1, AUX2)
Audio Output:	2 (Line, Subwoofer)
Dimensions, Weight:	215 (W) x 110 (H) x 359 (D) mm, 4.2kg
Option:	iPod Docking Station (DS-22)

Made for iPod

Piano Black

LS-H265 2-way Speaker System

Max. Music Power:	50W (Impedance: 8 ohms)
Speaker Units:	20mm (Tweeter), 133mm (Woofer)
Sensitivity, Frequency Response:	86dB, 55-30kHz
Dimensions, Weight:	174 (W) x 268 (H) x 246 (D) mm, 3,75kg

Black Ash

LS-H255 2-way Speaker System

Max. Music Power:	50W (Impedance: 6 ohms)
Speaker Units:	25mm (Tweeter), 130mm (Woofer)
Sensitivity, Frequency Response:	86dB, 60-22kHz
Dimensions, Weight:	170 (W) x 270 (H) x 235 (D) mm, 3,7kg

DR-H338i AM/FM 2.1ch DVD Receiver with USB/Interface for iPod Docking Station
DR-H358i DAB/FM 2.1ch DVD Receiver with USB/Interface for iPod Docking Station*

Function:	DVD/CD, Tuner, AUX1, AUX2, USB, iPod
Output Power:	50W + 50W (4 ohms, 1kHz, 10% THD)
Supported Disc:	DVD-Video, DVD+R/+RW, VCD, SVCD, DivX,®
	CD-DA, CD-R/RW, MP3, WMA, JPEG
Digital Surround:	Dolby Digital
USB:	MP3, WMA, DivX,® JPEG Decoding
Tuner:	AM, FM with RDS (DR-H338i)
	DAB, FM with RDS (DR-H358i*)
Video Output:	4 (HDMI 1080p, Component, Composite, Scart)
Audio Input:	2 (AUX1, AUX2)
Audio Output:	4 (Optical, Coaxial, Line, Subwoofer)
Dimensions, Weight:	215 (W) x 110 (H) x 350 (D) mm, 4.5kg
Accessory:	iPod Docking Station included (DS-21)

Made for iPod

Accessory: DS-21

LS-W300 2.1ch Surround Speaker System

Max. Music Power:	50W (Impedance: 4 ohms)
Subwoofer Output Power:	100W
Speaker Units:	25mm (Tweeter), 80mm (Mid-range), 200mm (Woofer)
Sensitivity, Frequency Response:	83dB, 120-20kHz, 45-180Hz
Dimensions, Weight:	120 (W) x 216 (H) x 149 (D) mm, 1.8kg (Speaker)
	270 (W) x 270 (H) x 249 (D) mm, 8.5kg (Subwoofer)

* Available on request.

Into the future with style

TEAC's brand new series of compact audio systems with their elegantly curved shapes provide the highest quality sound, as impressive as the modern design. Enjoy your favourite music and the crystal-clear, spacious sound experience.

SR-100i CD Radio with iPod Dock and USB

Function:	iPod, CD, Tuner, USB, AUX
Output Power:	50W x 2
Supported Disc:	CD-DA, CD-R/RW, MP3
Tuner:	FM
USB:	MP3/WMA Decoding
Audio Input:	1 (RCA)
Dimensions, Weight:	570 (W) x 230 (H) x 220 (D) mm, 5.4kg
Colours:	Black, Silver, Red

Made for iPod

SR-80i Radio with iPod Dock and USB

Function:	iPod/iPhone (Digital Input), Tuner, USB, AUX
Output Power:	15W x 2
Tuner:	AM, FM
USB:	MP3 Decoding
Audio Input:	1 (RCA)
Video Output:	1 (Composite)
Dimensions, Weight:	400 (W) x 215 (H) x 160 (D) mm, 2.0kg
Colours:	Black, Silver, Red

Made for iPod iPhone

The perfect combination of light and sound

TEAC's uniquely styled SR-LUXi is more than just an iPod docking station.
When daylight fades, the LED array suffuses the room with beautiful natural-coloured light, creating a pleasantly relaxed atmosphere of the room. And the best: The dimming of the luminosity can be synchronized with the set sleep or wake-up times.
The lighting reduces slowly upon reaching the set sleep time and gently rises again before the wake-up time.

SR-LUXi Table-top Radio with Room Lamp

Function:	iPod/iPhone, Tuner, AUX
Output Power:	2W + 2W
LED Lamp:	Dimmable, Timer Activated On/Off
Tuner:	FM
Audio Input:	1 (Stereo Mini)
Dimensions, Weight:	245 (W) x 246 (H) x 103 (D) mm, 1.45kg

Made for iPod iPhone

SR-3L CD Radio with iPod Dock and USB/SD
SR-3DAB CD DAB Radio with iPod Dock and USB/SD*

Function:	CD, iPod/iPhone, USB, SD, Tuner, AUX
Output Power:	5W + 5W
Supported Disc:	CD-DA, CD-R/RW, MP3
Tuner:	FM with RDS (SR-3L)
	DAB, FM with RDS (SR-3DAB*)
USB/SD:	MP3 Decoding
Audio Input:	1 (Stereo Mini)
Video Output:	1 (Composite)
Dimensions, Weight:	350 (W) x 125 (H) x 225 (D) mm, 3.0kg

* Available on request.

Made for iPod iPhone

SR-L280i CD Radio with iPod Dock and USB

Function:	CD, iPod/iPhone, Tuner, USB, AUX
Output Power:	2W + 2W
Supported Disc:	CD-DA, CD-R/RW, MP3
Tuner:	AM, FM with RDS
USB:	MP3 Decoding
Audio Input:	1 (Stereo Mini)
Dimensions, Weight:	310 (W) x 101 (H) x 210 (D) mm, 2.2kg
Colours:	Black, White

Made for iPod iPhone

Compact Audio

SL-D920 CD Radio with USB

Function:	CD, Tuner, USB, AUX
Output Power:	5W + 5W (L, R), 5W (Subwoofer)
Supported Disc:	CD-DA, CD-R/RW, MP3
Tuner:	AM, FM with RDS
USB:	MP3 Encoding and Decoding
Audio Input:	AUX (Stereo Mini)
Dimensions, Weight:	340 (W) x 190 (H) x 259 (D) mm, 5.4kg
Colours:	Red, White, Silver, Black

Made for iPod

SL-D950 CD Radio with USB and Interface for iPod Docking Station

Function:	CD, iPod, Tuner, USB, AUX
Output Power:	5W + 5W (L, R), 5W (Subwoofer)
Supported Disc:	CD-DA, CD-R/RW, MP3
Tuner:	AM, FM with RDS
USB:	MP3 Decoding
Audio Input:	AUX (Stereo Mini)
Dimensions, Weight:	340 (W) x 190 (H) x 230 (D) mm, 5.5kg
Colours:	Black, Silver, Red
Option:	iPod Docking Station (DS-22)

nxt®

MC-DX55 Slim CD System with USB/SD

Function:	CD, Tuner, USB, SD, AUX
Output Power:	5W + 5W (L, R), 10W (Subwoofer)
Supported Disc:	CD-DA, CD-R/RW, MP3
Tuner:	AM, FM with RDS
USB/SD:	MP3 Decoding
Audio Input:	AUX (Stereo Mini)
Dimensions, Weight:	160 (W) x 227 (H) x 91 (D) mm, 1.0kg (Main Unit)
	160 (W) x 227 (H) x 76.5 (D) mm, 0.6kg (NXT Speaker)
	170 (W) x 196 (H) x 240 (D) mm, 4.8kg (Subwoofer)
Colours:	Black, Silver

R-1 AM/FM Portable Radio

Function:	FM, AM, AUX
Output Power:	1.5W
Audio Input:	AUX (Stereo Mini)
Dimensions, Weight:	238 (W) x 127 (H) x 134.5 (D) mm, 1.4kg
Colours:	Black, White, Red

VR-20 Digital Voice Recorder

Frequency Response:	20-20kHz (44.1kHz), 20-22kHz (48kHz)
Recording Format:	WAV (44.1/48kHz, 16/24bit), MP3 (44.1kHz, 32-320kbps)
Recording Media:	micro SD Card (64MB-2GB), micro SDHC Card (4-32GB)
MIC/Audio Input:	Cardioid Stereo Microphones, AUX
Dimensions, Weight:	37 (W) x 139.5 (H) x 15 (D) mm, 56g
Colours:	Black, White

VR-10 Digital Voice Recorder

Frequency Response:	20-20kHz (44.1kHz), 20-22kHz (48kHz)
Recording Format:	WAV (44.1/48kHz, 16/24bit), MP3 (44.1kHz, 32-320kbps)
Recording Media:	micro SD Card (64MB-2GB), micro SDHC Card (4-32GB)
MIC/Audio Input:	Omnidirectional Stereo Microphones, AUX
Dimensions, Weight:	37 (W) x 121 (H) x 15 (D) mm, 51g
Colours:	Black, White

WAP Audio Streaming

WAP-AX250 Wireless Audio Receiver with Integrated Amplifier
WAP-AX100 Wireless Audio Receiver with Integrated Amplifier
WAP-AR100 Wireless Audio Receiver

Function:	Audio Streaming, Internet-Radio, USB1, USB2, AUX
Output Power:	125W x 2, ICEpower Technology by Bang & Olufsen (WAP-AX250)
	50W x 2, ICEpower Technology by Bang & Olufsen (WAP-AX100)
Audio Streaming:	UPnP and DLNA compatible Client via WLAN IEEE802.11n/LAN (Ethernet Cable)
Audio Format:	AAC, MP3, OGG, WMA, WAV, Flac up to 24bit/96kHz
SATA Interface:	1 (for 2.5" Hard Disk, Hard Disk not included)
Audio Output:	3 (Optical, Line, Headphones)
Speaker Output:	Yes (WAP-AX250 and WAP-AX100)
Dimensions, Weight:	350 (W) x 75 (H) x 245 (D) mm, 3.2kg (WAP-AX250), 3.1kg (WAP-AX100), 2.8kg (WAP-AR100)
Option:	USB Stick for FM Radio, Controlled via WAP-9500/WAP-8600BRC [B]

Option: USB Stick for FM Radio

Control of Additional WAP Streaming Media Receiver

WAP-9500 18cm Touchscreen Wireless Audio Receiver

Function:	Audio Streaming, Internet-Radio, SD
Audio Streaming:	UPnP and DLNA compatible Client via WLAN IEEE802.11n
Audio Format:	AAC, MP3, OGG, WMA, WAV, Flac up to 24bit/96kHz
Audio Output:	2 (Line, Headphones)
Speaker:	Yes (Built-in Speaker)
Other Functions:	Light Sensor, Integrated Li-ion Battery
Dimensions, Weight:	181 (W) x 120 (H) x 20.5 (D) mm, 400g

WAP-R8900 Wireless Audio Player

Function:	Audio Streaming, Internet-Radio, FM with RDS, SD, USB, AUX
Output Power:	5W x 2 with Integrated Speaker
Audio Streaming:	UPnP and DLNA compatible Client via WLAN IEEE802.11n
Audio Format:	AAC, MP3, OGG, WMA, WAV, Flac up to 24bit/96kHz
Audio Output:	1 (Headphones)
Speaker:	Yes (Built-in Speaker)
Other Functions:	8.8cm TFT Display with Orientation Sensor, Rechargeable Ni-MH Battery
Dimensions, Weight:	110 (W) x 366 (H) x 110 (D) mm (with Handle), 2.6kg
Colours:	Silver, Black

WAP-8600



WAP-4500

WAP-8600 Wireless Audio Receiver with 8.8cm Touchscreen Remote Control [A] [B] [C]
WAP-4500 Wireless Audio Receiver with 4.5cm Colour LCD Remote Control [A] [D]

Function:	Audio Streaming, Internet-Radio, USB1, USB2
Audio Streaming:	UPnP and DLNA compatible Client via WLAN IEEE802.11n/LAN (Ethernet Cable)
Audio Format:	AAC, MP3, OGG, WMA, WAV, Flac up to 24bit/96kHz (Output up to 16bit/48kHz)
Audio Output:	3 (Optical, Line, Headphones)
Dimensions, Weight:	149 (W) x 27 (H) x 120 (D) mm, 220g (Main Unit [A])
	113 (W) x 76 (H) x 18 (D) mm, 160g (8.8cm Touchscreen Remote Control [B])
	132 (W) x 44 (H) x 44 (D) mm, 90g (Charging Station for Touchscreen Remote [C])
	50 (W) x 141 (H) x 22 (D) mm, 30g (4.5cm Colour LCD Remote Control [D])

WAP-8200

WAP-2200

WAP-8200 Audio Player with 8.8cm Touchscreen Remote Control [A] [B] [C]
WAP-2200 Audio Player with 4.5cm Colour LCD Remote Control [A] [D]

Functions:	USB1, USB2
Audio Format:	AAC, MP3, OGG, WMA, WAV, Flac up to 24bit/96kHz (Output up to 16bit/48kHz)
Audio Output:	3 (Optical, Line, Headphones)
Dimensions, Weight:	149 (W) x 27 (H) x 120 (D) mm, 220g (Main Unit [A])
	113 (W) x 76 (H) x 18 (D) mm, 160g (8.8cm Touchscreen Remote Control [B])
	132 (W) x 44 (H) x 44 (D) mm, 90g (Charging Station for Touchscreen Remote [C])
	50 (W) x 141 (H) x 22 (D) mm, 30g (4.5cm Colour LCD Remote Control [D])

Full-Size Components

AG-980 Dual Zone Stereo AM/FM Receiver

Function:	Phono, CD, Tuner, Tape, AUX, Video
Output Power:	65W /channel (Speaker-A/B/C/D, 4 ohms, 0,1% THD)
Total Harmonic Distortion:	0.05% (8 ohms, 20-20kHz)
Tuner:	AM, FM with RDS
Audio Input:	5 (Phono, CD, Tape, AUX, Video)
Audio Output:	2 (Tape, Line)
Speaker Output:	4 (Speaker-A, Speaker-B, Speaker-C, Speaker-D)
DC Trigger Out:	2 (DC12V)
RS-232C Interface:	1
Dimensions, Weight:	441 (W) x 137 (H) x 370 (D) mm, 8.2kg

AG-790 AM/FM Stereo Receiver

Function:	Phono, CD, Tuner, Tape, AUX
Output Power:	100W + 100W (8 ohms, 1kHz, 0,9% THD)
Total Harmonic Distortion:	0.05% (80W, 1kHz)
Tuner:	AM, FM with RDS
Audio Input:	4 (Phono, CD, Tape, AUX)
Audio Output:	1 (Tape)
Speaker Output:	2 (Speaker-A, Speaker-B)
Dimensions, Weight:	435 (W) x 139 (H) x 335 (D) mm, 9.4kg

T-R650 AM/FM Stereo Tuner
T-R650DAB DAB/AM/FM Stereo Tuner* * Available on request.

Tuner:	AM, FM with RDS (T-R650), DAB, AM, FM with RDS (T-R650DAB*)
Audio Output:	1 (Line)
Dimensions, Weight:	435 (W) x 85 (H) x 298 (D) mm, 3.2kg

A-R650 Stereo Amplifier

Function:	Phono, CD, Tuner, Tape, AUX, Video1, Video2
Output Power:	120W + 120W (4 ohms, 1kHz, 0.5% THD)
	90W + 90W (8 ohms, 1kHz, 0.5% THD)
Total Harmonic Distortion:	0.02% (60W, 1kHz)
Audio Input:	7 (Phono, CD, Tuner, Tape, AUX, Video1, Video2)
Audio Output:	2 (Tape, Line)
Speaker Output:	2 (Speaker-A, Speaker-B)
Dimensions, Weight:	435 (W) x 142 (H) x 355 (D) mm, 9.2kg

Made for iPod

CD-P650 CD Player with USB/Interface for iPod

Function:	CD Player, USB/iPod
Supported Disc:	CD-DA, CD-R/RW, MP3
USB:	MP3 Encoding and Decoding, iPod Digital Input
Audio Input, Audio Output:	Input: 1 (Line), Output: 2 (Optical, Line)
Dimensions, Weight:	435 (W) x 85 (H) x 285 (D) mm, 4.0kg

CD-P1260 CD Player

Supported Disc:	CD-DA, CD-R/RW, MP3
Audio Output:	1 (Line)
Dimensions, Weight:	435 (W) x 100 (H) x 285 (D) mm, 4,1kg

CD-P1160D CD Player

Supported Disc:	CD-DA, CD-R/RW
Audio Output:	2 (Coaxial, Line)
Dimensions, Weight:	435 (W) x 80 (H) x 280 (D) mm, 4.0kg

Audio System

PD-D2620 Multi CD Player (5-disc CD Changer)

Supported Disc:	CD-DA, CD-R/RW, MP3
Audio Output:	3 (Optical, Coaxial, Line)
Dimensions, Weight:	435 (W) x 115 (H) x 390 (D) mm, 6.2kg

CD-RW880 CD Recorder

Recordable Disc:	CD-R/RW for Audio
Audio Input, Audio Output:	Input: 2 (Optical, Line), Output: 1 (Line)
Dimensions, Weight:	435 (W) x 104 (H) x 295 (D) mm, 4.5kg

AD-800 CD Player Cassette Deck with USB

Function:	CD Player, Cassette Deck, USB
Supported Disc:	CD-DA, CD-R/RW, MP3
Cassette Deck:	Auto Reverse Record and Playback
USB:	MP3 Encoding and Decoding
Audio Input, Audio Output:	Input: 1 (Line), Output: 1 (Line)
Dimensions, Weight:	435 (W) x 145 (H) x 288 (D) mm, 5,1kg

W-890R Double Auto Reverse Cassette Deck

Cassette Deck1 and 2:	Double Auto Reverse, Continuous Recording and Playback
Noise Reduction:	Dolby-B NR HX Pro
Audio Input, Audio Output:	Input: 1 (Line), Output: 1 (Line)
Dimensions, Weight:	435 (W) x 138.5 (H) x 286 (D) mm, 4.0kg

LP-R500A Phono CD Recorder with Cassette Player

Function:	Turntable, CD Recorder, Tape, Tuner, AUX
Recordable Disc:	CD-R/RW
Recordable Source:	Turntable (33/45/75rpm), Cassette Deck, AM/FM, AUX
Tuner:	AM, FM
Audio Input:	AUX (Line)
Audio Output:	AUX (Line)
Dimensions, Weight:	470 (W) x 236 (H) x 360 (D) mm, 8.5kg
Colours:	Black, Woodgrain



TEAC

TEAC EUROPE GmbH
Bahnstrasse 12, 65205 Wiesbaden-Erbenheim, Germany
Phone: 0611-71580 www.teac.de

TEAC CORPORATION
1-47, Ochiai, Tama-shi, Tokyo 206-8530, Japan
Phone: 042-356-9156 www.teac.co.jp

Please note that not all models are available in every countries. Design and specifications subject to change without notice.
© 2010 TEAC Corporation. All Rights Reserved. All text, images, graphics and other materials on this catalogue are subject to the copyright and other intellectual property rights of TEAC Corporation. These materials shall not directly or indirectly be published, reproduced, modified or distributed in any medium. DVD is a trademark of DVD Format/Logo Licensing Corporation. Dolby, Pro Logic and the double-D symbol are trademarks of Dolby Laboratories. DivX®and associated DivX®logos are registered trademarks of DivX,® Inc. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC in the United States and other countries. NXT is a trademark of NXT plc. iPod and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. All other brand or product names are trademarks or registered trademarks of their respective holders.
"Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

Printed in Japan EX007A-01